Index

A

Above, 46, 47, 225
Access control list, 193, **470**
Active grab, **248**, **470**
AllHints, 355
AllocAll, 86, 87, 95, 377
Allocation:
  read-only colormap cells, 89
  colormap, 90
  read-only colormap cells, 90, 91
  read/write colormap cells, 92
  read/write colormap planes, 93
AllocNamedColor, 243
AllocNone, 86
AllowEvents, 258
AllowExposures, 190, 192
AllPlanes, **10**, 130
AllTemporary, 190
AlreadyGrabbed, 250, 254
Always, 23, 37, 53, 59, 215
Ancestors, **470**
AnyButton, 251, 253
AnyKey, 255, 256
AnyModifier, 251, 253, 255, 256
AnyPropertyType, 66, 68
ArcChord, 133, 145, 161
ArcPieSlice, 129, 133, 145, 161
Arcs:
  drawing, 156
  filling, 160
Areas:
  clearing, 147
  copying, 148
AsyncBoth, 256, 257
AsyncKeyboard, 256, 257, 258
AsyncPointer, 256, 257, 258
Atom, 62
  predefined, 62
Atom, 63
  interning, 64
  getting name, 65
  interning, 65
Atom, 326
  predefined, 343
Atom, 347, 450, 452, **470**
Authentication, 193
AutoRepeatModeDefault, 262
AutoRepeatModeOff, 262, 263
AutoRepeatModeOn, 262, 263

B

B16, 449
B32, 449
Background, **470**
Backing store, **470**
BadAccess, 54, 95, 96, 97, 98, 194, 195, 196, **243**, 253, 256
BadAlloc, 41, 42, 65, 69, 73, 74, 75, 76, 86, 87, 134, 135, 137, 138, 139, 140, 142, 143, 144, 145, 146, 165, **243**, 270, 272, 351, 353, 354, 357, 360, 361, 363, 364, 365, 366, 367, 370, 371, 377, 408, 409, 416, 418, 460, 461, 462, 463
BadAtom, 65, 66, 68, 69, 70, 71, 72, **243**, 245, 282, 283, 316, 318, 326, 351, 352, 361, 362, 377, 462, 463
BadColor, 41, 54, 56, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 187, **243**, 245, 316, 318, 326
BadCursor, 41, 54, 56, 77, 78, **243**, 245, 250, 251, 253, 318, 326
BadDrawable, 59, 60, 73, 77, 134, 141, 142, 149, 150, 152, 154, 155, 157, 159, 160, 161, 175, 176, 178, 180, 181, 183, **243**, 245, 416, 417, 418, 463
BadFont, 75, 134, 135, 143, 166, 172, 174, 175, **243**, 245, 296
BadGC, 26, 134, 135, 136, 137, 138, 139, 140, 142, 143, 144, 145, 146, 149, 150, 152, 154, 155, 157, 159, 160, 161, 172, 175, 176, 178, 180, 183, **243**, 245, 416, 418
BadIDChoice, **243**
BadImplementation, 243, **245**
BadLength, 243, **245**, 272, 449
BadMatch, 33, 35, 36, 38, 39, 40, 41, 42, 46, 47, 48, 52, 54, 55, 56, 69, 70, 76, 86, 132, 133, 134, 135, 141, 142, 143, 144, 145, 148, 149, 150, 152, 154, 155, 157, 159, 160, 161, 175, 176, 178, 180, 181, 182, 183, 185, 186, 243, **245**, 260, 262, 263, 346, 410, 417, 418
BadName, 98, 165, 243, **245**
BadPixmap, 41, 54, 55, 74, 76, 134, 135, 142, 143, 144, 243, **245**, 316, 318, 326
BadRequest, 243, **245**
BadValue, 26, 39, 41, 42, 46, 48, 49, 50, 51, 54, 65, 68, 69, 73, 74, 75, 86, 93, 94, 95, 96, 97, 98, 99, 100, 133, 134, 135, 137, 138, 139, 140, 141, 145, 146, 148, 150, 152, 154, 160, 180, 181, 183, 185, 188, 190, 191, 192, 194, 195, 196, 240, 243,

245, 250, 251, 253, 254, 256, 258, 260, 262, 263, 264, 265, 266, 269, 270, 272, 346, 351, 418
BadWindow, 41, 42, 44, 45, 48, 49, 50, 51, 52, 53, 54, 55, 56, 58, 59, 61, 62, 68, 69, 70, 71, 72, 86, 148, 185, 186, 188, 232, 240, 242, 243, **245**, 250, 253, 254, 256, 259, 260, 316, 318, 321, 346, 351, 352, 353, 354, 355, 357, 360, 361, 362, 363, 364, 365, 366, 367, 368, 370, 371, 377, 460, 461, 462, 463
Base font name, **470**
Below, 46, 47
Bit:
  gravity, **470**
  plane, **470**
Bitmap, 2, **471**
BitmapBitOrder, **19**
BitmapFileInvalid, 415
BitmapNoMemory, 415, 417
BitmapOpenFailed, 415, 417
BitmapPad, **19**
BitmapSuccess, 415, 417
BitmapUnit, **19**
BlackPixel, 10, **11**
BlackPixelOfScreen, **21**
Bool, **4**, 199, 236, 237, 315, 439
Border, **471**
BottomIf, 46, 47, 48
Button:
  grabbing, 251
  ungrabbing, 253
  grabbing, **471**
Button1, 206
Button1Mask, 206, 208
Button1Motion, 38
Button1MotionMask, 200, 203, 206, 249
Button2, 206
Button2Mask, 206, 208
Button2Motion, 38
Button2MotionMask, 200, 206, 249
Button3, 206
Button3Mask, 206, 208
Button3Motion, 38
Button3MotionMask, 200, 206, 249
Button4, 206
Button4Mask, 206, 208
Button4Motion, 38
Button4MotionMask, 200, 206, 249
Button5, 206
Button5Mask, 206, 208
Button5Motion, 38
Button5MotionMask, 200, 203, 206, 249
ButtonMotion, 38
ButtonMotionMask, 200, 201, 203, 249
ButtonPress, 38, 197, 200, **203**, 210, 232, 252, 257
ButtonPressMask, 53, 200, 203, 232, 249
ButtonRelease, 38, 197, **203**, 210, 257
ButtonReleaseMask, 200, 203, 249
Byte:
  order, **471**

C

CallbackPrototype, **328**
calloc, 456
CapButt, 129, 131, 138
CapNotLast, 131, 138
CapProjecting, 131, 138
CapRound, 131, 138
CARD16, 457
CARD32, 457
CCC, 85
  default, 85
  of colormap, 85
  default, 100
  of colormap, 100
  default, 101
  of colormap, 101
  creation, 104
  freeing, 105
CellsOfScreen, **21**
CenterGravity, 36, 59
Changing:
  pointer grab, 251
char, 66, 68, 69, 457
Character, **471**
Character glyph, **471**
Character set, **471**
Charset, **471**
CharSetEncoding, 288, 470, 473
CharSetRegistry, 288, 470, 473
Children, **471**
Child window, 1
Child Window, 57
Chroma, 117
  maximum, 117
Chroma, 118
  maximum, 118
Chroma, 119
  maximum, 119
CIE metric lightness, 113, 114
  maximum, 114
CIE metric lightness, 115
  minimum, 115
CIE metric lightness, 116
  maximum, 116
CIE metric lightness, 117

minimum, 117
CirculateNotify, 51, 197, 201, 207, **217**, 223
CirculateRequest, 51, 197, **224**, 232
Class, **471**
Clearing:
areas, 147
windows, 148
Client, **472**
ClientMessage, 63, 197, 200, **227**, 345
Client White Point, 85
of Color Conversion Context, 103
ClientWhitePointOfCCC, **102**
ClipByChildren, 129, 133, 146, 147
Clipping region, **472**
Coded character, **472**
Coded character set, **472**
Codepoint, **472**
Color, 80
naming, 87, 88
allocation, 89, 90, 91
naming, 91
allocation, 92, 93
deallocation, 94
storing, 95, 96
naming, 97
storing, 97
querying, 98, 99
conversion, 106
Color Characterization Data, 125
Color conversion, 106
Color Conversion Context, 85
creation, 85
default, 85
of colormap, 85
creation, 100
default, 100
of colormap, 100
default, 101
of colormap, 101
creation, 104
freeing, 105
Colormap, 2, 26, 27
CCC of, 100, 101
Colormap, 326, 450, **472**
Color map, 80, 90
ColormapChangeMask, 200, 227
ColormapInstalled, 227
ColormapNotify, 53, 87, 187, 197, **226**, 227
Colormaps:
standard, 375
ColormapUninstalled, 227
Complex, 159, 160
ConfigureNotify, 46, 197, 201, 207, 217, **218**, 223
ConfigureRequest, 3, 46, 48, 49, 50, 51, 52, 197, 224, **225**, 232
ConfigureRequestEvent, 346
ConfigureWindow, 225, 346
Connection, **472**
ConnectionNumber, **11**
Containment, **472**
Control, 272
ControlMask, 206, 209, 249, 253
ConvertSelection, 230
Convex, 159
Coordinate system, **472**
CoordModeOrigin, 152, 153, 154, 159
CoordModePrevious, 152, 153, 154, 159
CopyArea, 150
CopyFromParent, 34, 36, 39, 53, 55
Copying:
areas, 148
planes, 149
CreateNotify, 40, 41, 197, 201, 217, **219**
CurrentTime, 71, 72, 200, 230, 241, **248**, 249, 250, 251, 253, 254, 255, 256, 259, 260, 482
Cursor, 2, 26, 27
Initial State, 41
limitations, 77
Cursor, 326, 450, **472**
CursorShape, 140, 141
Cut Buffers, 408
CWBackingPixel, 33
CWBackingPlanes, 33
CWBackingStore, 33
CWBackPixel, 33
CWBackPixmap, 33
CWBitGravity, 33
CWBorderPixel, 33
CWBorderPixmap, 33
CWBorderWidth, 45
CWColormap, 33
CWCursor, 33
CWDontPropagate, 33
CWEventMask, 33
CWHeight, 45
CWOverrideRedirect, 33
CWSaveUnder, 33
CWSibling, 45
CWStackMode, 45
CWWidth, 45
CWWinGravity, 33
CWX, 45

CWY, 45

D

Data, 452, 453, 456
Data16, 453
Data32, 453
Debugging:
  error handlers, 242
  synchronous mode, 242
  error event, 243
  error numbers, 243
  error message strings, 245
DefaultBlanking, 190, 192
DefaultColormap, **11**, 80
DefaultColormapOfScreen, **22**
DefaultDepth, **12**
DefaultDepthOfScreen, **22**
DefaultExposures, 190, 192
DefaultGC, **12**
DefaultGCOfScreen, **22**
Default Protection, 193
DefaultRootWindow, **13**
DefaultScreen, 8, 9, **13**
DefaultScreenOfDisplay, **13**
DefaultVisual, **14**, 80
DefaultVisualOfScreen, **22**

#

#define, 63, 343

D

Depth, **473**
Destination, **129**
DestroyAll, 26, 27
DestroyCallback, **314**, **329**
DestroyNotify, 42, 197, 201, 217, **219**
Device, **473**
Device Color Characterization, 124
Device profile, 85, 125
DirectColor, 31, 32, 80, 86, 93, 94, 376, **473**, 482
DisableAccess, 196
Display, 9, 10
  data structure, 10
Display, 26, 272, 445, 446, 451, 453, **473**
  structure, 473
Display, 480
  structure, 480
DisplayCells, **14**
Display Functions, **129**
DisplayHeight, **20**
DisplayHeightMM, **20**
DisplayOfCCC, **101**
DisplayOfScreen, **23**
DisplayPlanes, **14**
DisplayString, **15**
DisplayWidth, **20**
DisplayWidthMM, **21**
DoBlue, 80, 88, 96, 97, 98, 99
DoesBackingStore, **23**
DoesSaveUnders, **23**
DoGreen, 80, 88, 96, 97, 98, 99
DontAllowExposures, 190, 192
DontPreferBlanking, 190, 192
DoRed, 80, 88, 96, 97, 98, 99
Drawable, 2, 450, 452, **473**
Drawing:
  points, 151
  lines, 152
  polygons, 152
  rectangles, 154
  arcs, 156
  text items, 173
  strings, 175
  image text, 176

E

EastGravity, 36, 59
EnableAccess, 196
Encoding, **473**
EnterNotify, 197, **207**, 208, 209, 210, 211, 214, 223, 250, 251
EnterWindowMask, 200, 207, 249
Environment:
  DISPLAY, 8
Error:
  handling, 3
  handlers, 242
  codes, 243
Escapement, **473**

/

/etc/X?.hosts, 193

E

EvenOddRule, 129, 133, 140, 404
Event, 2, 197
  categories, 197
  types, 197
  propagation, 231
Event, **473**

Exposure, **474**
mask, **474**
propagation, **474**
source, **474**
synchronization, **474**
Event mask, **199**
EventMaskOfScreen, **23**
Events:
ButtonPress, 203
ButtonRelease, 203
KeyPress, 203
KeyRelease, 203
MotionNotify, 203
EnterNotify, 207
LeaveNotify, 207
FocusIn, 210
FocusOut, 210
KeymapNotify, 214
Expose, 215
GraphicsExpose, 216
NoExpose, 216
CirculateNotify, 217
ConfigureNotify, 218
CreateNotify, 219
DestroyNotify, 219
GravityNotify, 220
MapNotify, 220
MappingNotify, 221
ReparentNotify, 222
UnmapNotify, 222
VisibilityNotify, 223
CirculateRequest, 224
ConfigureRequest, 225
MapRequest, 225
ColormapNotify, 226
ResizeRequest, 226
ClientMessage, 227
PropertyNotify, 228
SelectionClear, 229
SelectionRequest, 229
SelectionNotify, 230
Expose, 2, 3, 33, 36, 37, 42, 43, 44, 45, 48, 49, 50, 51, 147, 148, 185, 191, 197, 207, 211, **215**, 223
ExposureMask, 200, 215
Extension, **474**

F

False, **4**, 23, 29, 34, 38, 43, 46, 48, 49, 50, 51, 52, 59, 61, 62, 64, 97, 106, 148, 166, 200, 203, 206, 208, 225, 226, 227, 232, 234, 235, 237, 238, 239, 240, 242, 250, 254, 274, 281, 291, 292, 311, 312, 315, 338, 356, 388, 389, 390, 393, 434, 440, 442, 454
FamilyChaos, 193
FamilyDECnet, 193
FamilyInternet, 193
FamilyInternet6, 193
FamilyServerInterpreted, 193
Files:
<X11/X.h>, 2
<X11/Xcms.h>, 3
<X11/X.h>, 3
<X11/Xlib.h>, 3
<X11/Xresource.h>, 3
<X11/Xutil.h>, 3
<X11/cursorfont.h>, 4
<X11/keysymdef.h>, 4
<X11/keysym.h>, 4
<X11/X10.h>, 4
<X11/Xatom.h>, 4
<X11/Xlib.h>, 4
<X11/Xlibint.h>, 4
<X11/Xproto.h>, 4
<X11/Xprotostr.h>, 4
<X11/Xlib.h>, 9
<X11/Xatom.h>, 63
<X11/Xcms.h>, 79
<X11/Xlib.h>, 79
<X11/X.h>, 129
<X11/Xatom.h>, 166
/etc/X?.hosts, 193
<X11/X.h>, 197
<X11/Xlib.h>, 198
<X11/X.h>, 200
<X11/Xproto.h>, 216, 243
<X11/keysymdef.h>, 267
<X11/keysym.h>, 267
<X11/Xlib.h>, 341
<X11/Xatom.h>, 343
<X11/Xutil.h>, 355, 357, 362, 367
<X11/Xatom.h>, 375
<X11/Xresource.h>, 379
<X11/keysymdef.h>, 398
<X11/Xutil.h>, 402, 403, 410
<X11/Xlib.h>, 411
<X11/Xutil.h>, 413, 418
<X11/Xlibint.h>, 434
<X11/Xlib.h>, 435, 445, 446
<X11/Xlibint.h>, 448, 449
<X11/Xproto.h>, 449, 450
<X11/Xlibint.h>, 451
<X11/Xproto.h>, 451
<stdio.h>, 457
<X11/Xutil.h>, 460
$HOME/.Xdefaults, 465

<X11/X10.h>, 466
Filling:
rectangles, 158
polygon, 159
arcs, 160
FillOpaqueStippled, 132, 140, 150
FillPolygon, 158
FillSolid, 129, 132, 140, 178
FillStippled, 132, 140
FillTiled, 132, 140
FlushGC, **447**, 448
FocusChangeMask, 200, 210
FocusIn, 197, **210**, 211, 212, 213, 214, 254, 255, 260
FocusOut, 197, 207, **210**, 211, 212, 213, 214, 223, 254, 255, 260
Font, 2
font, 6
Font, 26, 27, 161, 450, **474**
Font glyph, **474**
FontLeftToRight, 163, 169, 170, 171
FontRightToLeft, 163, 169, 170, 171
Fonts:
freeing font information, 164
getting information, 164
unloading, 164
Fonts, 468
Forget, 37
ForgetGravity, 34, 36, 37, 59
fork, 15
free, 456
Freeing:
resources, 33, 54, 55
colors, 94
Frozen events, **474**
Function set, 124
LINEAR_RGB, 124

G

Gamut compression, 85
client data, 103
procedure, 103
setting in Color Conversion Context, 103
Gamut handling, 85
Gamut querying, 111
GC, 445, **474**
GCArcMode, 127, 135
GCBackground, 127, 135
GCCapStyle, 127, 135
GCClipMask, 127, 135
GCClipXOrigin, 127, 135
GCClipYOrigin, 127
GCCLipYOrigin, 135
GCDashList, 127, 135
GCDashOffset, 127, 135
GCFillRule, 127, 135
GCFillStyle, 127, 135
GCFont, 127, 135
GCForeground, 127, 135
GCFunction, 127, 135
GCGraphicsExposures, 127, 135
GCJoinStyle, 127, 135
GCLineStyle, 127, 135
GCLineWidth, 127, 135
GContext, 2, 26, 27, 136, 164, 165, 171, 243, 450
GCPlaneMask, 127, 135
GCStipple, 127, 135
GCSubwindowMode, 127, 135
GCTile, 127, 135
GCTileStipXOrigin, 127, 135
GCTileStipYOrigin, 127, 135
GeometryCallback, **329**
GetEmptyReq, 451, 452
GetKeyboardControl, 451, 453
GetReq, 451, 452, 456
GetReqExtra, 451, 452
GetResReq, 451, 452
GetWindowAttributes, 451, 453, 454
Glyph, **474**
Glyph image, **475**
Grab, **475**
Grabbing:
server, 189
pointer, 249
buttons, 251
keyboard, 253
keys, 255
GrabFrozen, 250, 254
GrabInvalidTime, 250, 254
GrabModeAsync, 203, 249, 250, 251, 253, 254, 255
GrabModeSync, 249, 250, 251, 253, 254, 255
GrabNotViewable, 250, 254
GrabSuccess, 249
Graphics context, 127
path, 131
initializing, 134
Graphics context, **475**
GraphicsExpose, 133, 146, 149, 197, 198, 200, **216**, 217
Gravity, **475**
GravityNotify, 37, 46, 197, 201, 207, 217, **220**, 223
GrayScale, 31, 32, 76, 80, 86, 93, 375, 376, 463, **475**, 481

GXand, 129
GXandInverted, 129
GXandReverse, 129
GXclear, 129
GXcopy, 129, 148, 149, 178
GXcopyInverted, 129
GXequiv, 129
GXinvert, 129
GXnand, 129
GXnoop, 129
GXnor, 129
GXor, 129
GXorInverted, 129
GXorReverse, 129
GXset, 129
GXxor, 129

H

Hash Lookup, 467
Headers:
  <X11/X.h>, 2
  <X11/Xcms.h>, 3
  <X11/X.h>, 3
  <X11/Xlib.h>, 3
  <X11/Xresource.h>, 3
  <X11/Xutil.h>, 3
  <X11/cursorfont.h>, 4
  <X11/keysymdef.h>, 4
  <X11/keysym.h>, 4
  <X11/X10.h>, 4
  <X11/Xatom.h>, 4
  <X11/Xlib.h>, 4
  <X11/Xlibint.h>, 4
  <X11/Xproto.h>, 4
  <X11/Xprotostr.h>, 4
  <X11/Xlib.h>, 9
  <X11/Xatom.h>, 63
  <X11/Xcms.h>, 79
  <X11/Xlib.h>, 79
  <X11/X.h>, 129
  <X11/Xatom.h>, 166
  <X11/X.h>, 197
  <X11/Xlib.h>, 198
  <X11/X.h>, 200
  <X11/Xproto.h>, 216, 243
  <X11/keysymdef.h>, 267
  <X11/keysym.h>, 267
  <X11/Xlib.h>, 341
  <X11/Xatom.h>, 343
  <X11/Xutil.h>, 355, 357, 362, 367
  <X11/Xatom.h>, 375
  <X11/Xresource.h>, 379
  <X11/keysymdef.h>, 398
  <X11/Xutil.h>, 402, 403, 410
  <X11/Xlib.h>, 411
  <X11/Xutil.h>, 413, 418
  <X11/Xlibint.h>, 434
  <X11/Xlib.h>, 435, 445, 446
  <X11/Xlibint.h>, 448, 449
  <X11/Xproto.h>, 449, 450
  <X11/Xlibint.h>, 451
  <X11/Xproto.h>, 451
  <stdio.h>, 457
  <X11/Xutil.h>, 460
  <X11/X10.h>, 466
HeightMMOfScreen, **24**
HeightOfScreen, **24**
HeightValue, 402

$

$HOME/.Xdefaults, 465
$HOME/.Xdefaults-*name*, 465

H

Host Portable Character Encoding, **475**
Hotspot, **475**

I

IconicState, 345, 356
IconMaskHint, 355
IconPixmapHint, 355
IconPositionHint, 355
IconWindowHint, 355
Identifier, **475**
ImageByteOrder, **19**
Image text:
  drawing, 176
IMInstantiateCallback, **311**

#

#include, 418

I

IncludeInferiors, 133, 146
Inferiors, **475**
InitExtension, 246
Input:
  focus, **475**
  manager, **475**
Input Control, 197

InputFocus, 239, 240
InputHint, 355
InputOnly, 33, 34, 36, 38, 39, 40, 41, 46, 54, 55, 59, 60, 73, 141, 142, 148, 185, 215, 223, 243, 471, 473, 476, 477
InputOutput, 33, 34, 35, 36, 37, 38, 39, 40, 41, 43, 59, 133, 470, 471, 476, 477
int, 5, 326, 439, 457
Internationalization, **476**
IsCursorKey, **399**
IsFunctionKey, **399**
IsKeypadKey, **399**
IsMiscFunctionKey, **399**
IsModifierKey, **399**
ISO2022, **476**
IsPFKey, **399**
IsPrivateKeypadKey, **399**
isspace, 482
IsUnmapped, 59
IsUnviewable, 59
IsViewable, 59

J

JoinBevel, 131, 138
JoinMiter, 129, 131, 138
JoinRound, 131, 138

K

KBAutoRepeatMode, 261
KBBellDuration, 261
KBBellPercent, 261
KBBellPitch, 261
KBKey, 261
KBKeyClickPercent, 261
KBLed, 261
KBLedMode, 261
Key:
  grabbing, 255
  ungrabbing, 256
  grabbing, **476**
Keyboard:
  grabbing, 253
  ungrabbing, 254
  bell volume, 261
  bit vector, 261
  keyclick volume, 261
  grabbing, **476**
KeymapNotify, 197, **214**
KeymapStateMask, 200, 214
KeyMapStateMask, 249
KeyPress, 38, 197, **203**, 214, 254, 255, 257, 262, 267, 339, 340, 396
KeyPressMask, 200, 203
KeyRelease, 38, 197, **203**, 214, 254, 257, 262, 339, 396
KeyReleaseMask, 200, 203
Keysym, **476**

L

LastKnownRequestProcessed, **16**
Latin-1, **476**
Latin Portable Character Encoding, **476**
LeaveNotify, 197, **207**, 208, 209, 210, 211, 223, 250, 251
LeaveWindowMask, 200, 207, 249
LedModeOff, 262
LedModeOn, 262
LineDoubleDash, 131, 132, 138
LineOnOffDash, 131, 132, 138
Lines:
  drawing, 152
LineSolid, 129, 131, 132, 138
Locale, **476**
Locale name, **477**
Localization, **477**
Lock, 268, 272, 400
LockDisplay, **451**
LockMask, 206, 209, 249, 253
long, 66, 68, 69, 322, 326, 439, 457
LookupColor, 243
LowerHighest, 51, 52
LSBFirst, 19

M

malloc, 456
MapNotify, 43, 197, 201, 207, 217, **220**, 221, 223
Mapped window, **477**
MappingBusy, 265, 272
MappingFailed, 272
MappingKeyboard, 221, 222, 397
MappingModifier, 221, 397
MappingNotify, 197, 200, 217, **221**, 265, 270, 272, 397
MappingPointer, 221, 222
MappingSuccess, 265, 272
MapRequest, 43, 197, 224, **225**, 226, 232
MapWindow, 27, 184, 185
MaxCmapsOfScreen, **24**
mblen, 276
mbtowc, 276
Menus, 189
MinCmapsOfScreen, **25**

Mod1, 268, 272
Mod1Mask, 206, 209, 249, 253
Mod2, 272
Mod2Mask, 206, 209, 249, 253
Mod3, 272
Mod3Mask, 206, 209, 249, 253
Mod4, 272
Mod4Mask, 206, 209, 249, 253
Mod5, 268, 272
Mod5Mask, 206, 209, 249, 253
Modifier keys, **477**
Monochrome, **477**
MotionNotify, 197, 201, **203**, 204, 207, 241
Mouse:
  programming, 261
MSBFirst, 19
Multibyte, **477**

N

NextRequest, **16**, 243
NoEventMask, 38, 200
NoExpose, 146, 149, 197, 200, **216**
Nonconvex, 159, 160
None, **4**, 34, 35, 36, 39, 53, 54, 56, 59, 61, 62, 64, 67, 71, 72, 74, 75, 87, 129, 133, 144, 145, 148, 149, 173, 174, 203, 206, 208, 213, 218, 225, 227, 230, 249, 250, 251, 259, 260, 297, 338, 352, 377, 418, 459
NoOperation, 8, 25
NormalState, 356
NorthEastGravity, 36, 59, 403
NorthGravity, 36, 59
NorthWestGravity, 34, 36, 37, 59, 403
NoSymbol, 267, 269, 270, 396, 397, 398
NotifyAncestor, 209, 211, 212
NotifyDetailNone, 211, 213, 214
NotifyGrab, 209, 210, 211, 214
NotifyHint, 204, 206
NotifyInferior, 209, 211, 212
NotifyNonlinear, 209, 210, 211, 212, 213
NotifyNonlinearVirtual, 209, 210, 211, 212, 213
NotifyNormal, 206, 209, 211
NotifyPointer, 211, 212, 213, 214
NotifyPointerRoot, 211, 213, 214
NotifyUngrab, 209, 210, 211, 214
NotifyVirtual, 209, 211, 212
NotifyWhileGrabbed, 211
NotUseful, 23, 34, 37, 59
NULLQUARK, 393

O

Obscure, **477**
Occlude, **477**
OpenFont, 243
Opposite, 46, 47, 48
Output Control, 197
OwnerGrabButtonMask, 200, 203

P

PackData, 457
Padding, **478**
PAllHints, 358, 359
ParentRelative, 33, 35, 53, 54, 185
Parent Window, 1, 57
PAspect, 358
Passive grab, 248, **478**
PBaseSize, 358
Pixel value, 130, **478**
Pixmap, 2, 26, 27, 326, 450, 452, **478**
Pixmaps, 468
PlaceOnBottom, 217, 218, 225
PlaceOnTop, 217, 225
Plane:
  mask, 130
  copying, 149
Plane, **478**
  mask, **478**
PlanesOfScreen, **25**
PMaxSize, 358
PMinSize, 358
Pointer:
  grabbing, 249
  ungrabbing, 250
  grabbing, 251
Pointer, **478**
  grabbing, **478**
PointerMotion, 38
PointerMotionHintMask, 200, 204, 249
PointerMotionMask, 200, 201, 204, 249
PointerRoot, 27, 213, 214, 259, 260, 356
PointerWindow, 239, 240
Pointing device, **478**
Points:
  drawing, 151
poll, 30
Polygons:
  drawing, 152
  filling, 159
PolyLine, 154, 155

POSIX, **479**
POSIX Portable Filename Character Set, **479**
POSIX System Call:
  fork, 15
PPosition, 358
PreeditCaretCallback, **335**
PreeditDoneCallback, **331**
PreeditDrawCallback, 331, **332**
PreeditStartCallback, **331**
PreeditStateNotifyCallback, **327**
PreferBlanking, 190, 192
PResizeInc, 358
Property:
  getting, 66
  listing, 68
  appending, 69
  changing, 69
  format, 69
  prepending, 69
  replacing, 69
  type, 69
  deleting, 70
Property, **479**
PropertyChangeMask, 200, 228
PropertyDelete, 228, 229
Property list, **479**
PropertyNewValue, 228
PropertyNotify, 68, 69, 70, 197, 227, **228**
PropModeAppend, 69
PropModePrepend, 69
PropModeReplace, 69
Protocol:
  DECnet, 9
  TCP, 9
ProtocolRevision, **16**
ProtocolVersion, **16**
PseudoColor, 31, 32, 80, 86, 92, 93, 94, 376, 475, **479**, 481
PSize, 358
Psychometric Chroma, 113
  maximum, 113
Psychometric Chroma, 114
  maximum, 114
Psychometric Chroma, 115
  maximum, 115
Psychometric Chroma, 116
  maximum, 116
Psychometric Hue Angle, 113, 114, 115, 116, 117
PWinGravity, 358

Q

QLength, **17**
QueryFont, 243, 451, 453
QueryKeymap, 451, 453
QueuedAfterFlush, 233
QueuedAfterReading, 233
QueuedAlready, 233

R

RaiseLowest, 51, 52
Read-only colormap cells, 89
  allocating, 89
read-only colormap cells, 90
Read-only colormap cells:
  allocating, 90, 91
Read/write colormap cells, 89
  allocating, 92
Read/write colormap planes:
  allocating, 93
Rectangle:
  filling, 158
Rectangle, **479**
RectangleIn, 408
RectangleOut, 408
RectanglePart, 408
Rectangles:
  drawing, 154
Redirecting control, **479**
Region, 403
ReleaseByFreeingColormap, 374
ReparentNotify, 184, 197, 201, 217, **222**
ReplayKeyboard, 256, 257, 258
ReplayPointer, 256, 257, 258
Reply, **479**
Request, **479**
Requests, **197**
ResizeRedirect, 226
ResizeRedirectMask, 43, 46, 53, 200, 232
ResizeRequest, 43, 46, 197, 224, **226**, 232
Resource, **479**
Resource IDs, 2
  Cursor, 2
  Font, 2
  GContext, 2
  Pixmap, 2
  Window, 2
Resource IDs, 26
  freeing, 33, 54, 55
Resource IDs, 467

ResourceName, 392
RetainPermanent, 26, 27, 190
RetainTemporary, 26, 27, 190
RevertToNone, 259, 260
RevertToParent, 259, 260
RevertToPointerRoot, 259, 260
RGB values, **479**
Root, 127, **480**
RootWindow, **17**, 302
RootWindowOfScreen, **25**

S

Save set, **480**
Save Unders, 38
Scanline, **480**
  order, **480**
Screen, 1, 8, 9, 10, 21, 22, 23, 24, 25, 445, **480**
  structure, 480
ScreenCount, **17**
ScreenFormat, 445
ScreenNumberOfCCC, **102**
ScreenOfDisplay, **13**
ScreenSaverActive, 191
ScreenSaverReset, 191, 192
Screen White Point, 111
ScreenWhitePointOfCCC, **102**
select, 30
Selection, 70
  getting the owner, 71
  setting the owner, 71
  converting, 72
Selection, **480**
SelectionClear, 71, 197, 200, 227, **229**
SelectionNotify, 72, 197, 200, 227, **230**, 239
SelectionRequest, 71, 72, 197, 200, 227, **229**
SendEvent, 198, 439
Serial Number, 243
Server:
  grabbing, 189
Server, **480**
  grabbing, **481**
ServerVendor, **17**
setlocale, 273, 274, 275, 476, 477
SetModeDelete, 185
SetModeInsert, 185
Shift, 268, 272, 400
ShiftMask, 206, 209, 249, 253
Shift sequence, **481**
short, 66, 68, 69, 457
Sibling, **481**
Source, **129**
SouthEastGravity, 36, 59, 403
SouthGravity, 36, 59
SouthWestGravity, 36, 59, 403
special, 6
Stacking order, 2, **481**
Standard Colormaps, 375
State-dependent encoding, **481**
StateHint, 355
State-independent encoding, **481**
StaticColor, 31, 32, 80, 86, **481**
StaticGravity, 37, 59
StaticGray, 31, 32, 76, 80, 86, 477, **481**
Status, 3, 85, **481**
StatusDoneCallback, **337**
StatusDrawCallback, **337**
StatusStart, 337
StatusStartCallback, **336**

<

<stdio.h>, 457

S

Stipple, **481**
StippleShape, 140, 141
StringConversionCallback, **330**
STRING encoding, **481**
String Equivalence, **481**
Strings:
  drawing, 175
strlen, 392
strtok, 276
StructureNotify, 217, 218, 220, 221, 222, 223
StructureNotifyMask, 200, 217, 218, 219, 220, 221, 222
SubstructureNotify, 217, 218, 220, 221, 222, 223
SubstructureNotifyMask, 200, 201, 217, 218, 219, 220, 221, 222, 345
SubstructureRedirectMask, 38, 43, 46, 48, 49, 50, 51, 52, 53, 200, 224, 225, 226, 232, 345
Success, 68, 346, 348, 349
SyncBoth, 256, 257
SyncHandle, 455
SyncKeyboard, 256, 257, 258
SyncPointer, 256, 257, 258

T

Text:
  drawing, 173
this, 6
Tile, 2
  mode, 33

pixmaps, 33
Tile, **482**
TileShape, 140, 141
Time, **248**
Timestamp, **482**
TopIf, 46, 47, 48
True, **4**, 23, 29, 38, 43, 59, 61, 62, 68, 93, 94, 97, 106, 107, 109, 123, 129, 148, 149, 163, 166, 184, 198, 200, 203, 206, 208, 216, 219, 221, 222, 223, 227, 229, 232, 234, 235, 236, 237, 238, 239, 240, 242, 250, 254, 266, 274, 281, 287, 291, 292, 311, 312, 315, 338, 348, 356, 387, 388, 389, 390, 393, 399, 407, 434, 440, 442, 454
TrueColor, 31, 32, 80, 86, **482**
Type, **482**

U

Ungrabbing:
pointer, 250
buttons, 253
keyboard, 254
keys, 256
UngrabKeyboard, 255
UngrabPointer, 251
UnlockDisplay, **451**
UnmapGravity, 37, 59, 223
UnmapNotify, 37, 45, 197, 201, 207, 211, 217, **222**, 223, 345
UnmapNotify Event, 45
UnmapWindow, 184, 185
unsigned, 322, 326, 439, 457
Unsorted, 144, 145
UrgencyHint, 355, 357
USPosition, 358
USSize, 358

V

Value, 118
maximum, 118
Value, 119
maximum, 119
minimum, 119
VendorRelease, **18**
Vertex, 465, **466**
VertexCurved, **466**, 467
VertexDontDraw, **466**, 467
VertexDrawLastPoint, 465
VertexEndClosed, **466**, 467
VertexRelative, **466**
VertexStartClosed, 465, **466**, 467
Viewable, **482**
VisibilityChangeMask, 200, 223
VisibilityFullyObscured, 223, 224
VisibilityNotify, 39, 197, 207, 211, 217, **223**
VisibilityPartiallyObscured, 223, 224
VisibilityUnobscured, 223, 224
Visible, **482**
Visual, **31**, 32, 58, 412, 445
VisualAllMask, 410
VisualBitsPerRGBMask, 410
VisualBlueMaskMask, 410
Visual Classes:
GrayScale, 31
PseudoColor, 31
StaticColor, 31
StaticGray, 31
TrueColor, 31
VisualClassMask, 410
VisualColormapSizeMask, 410
VisualDepthMask, 410
VisualGreenMaskMask, 410
VisualID, 450
VisualIDMask, 410
VisualNoMask, 410
VisualOfCCC, **102**
VisualRedMaskMask, 410
VisualScreenMask, 410
Visual Type, **31**
VoidSymbol, 267

W

wctomb, 276
WestGravity, 36, 59
WhenMapped, 23, 37, 53, 59, 215
WhitePixel, 10, **11**
WhitePixelOfScreen, **21**
White point, 85
White point adjustment, 85
client data, 104
procedure, 104
setting in Color Conversion Context, 104
Whitespace, **482**
WidthMMOfScreen, **24**
WidthOfScreen, **24**
WidthValue, 402
WindingRule, 133, 140, 404
Window, **2**
RootWindow, 17
XRootWindow, 17
Window, 26, 33
attributes, 33
mapping, 33
InputOnly, 39

background, 54
defining the cursor, 56
undefining the cursor, 56
clearing, 148
managers, 189
Window, 321
name, 352
icon name, 354
determining location, 401
Window, 450, 452
determining location, 464
IDs, 467
InputOnly, **476**
InputOutput, **476**
parent, **478**
root, **480**
gravity, **482**
manager, **483**
WindowGroupHint, 355
Windows, 468
WithdrawnState, 356

X

X10 compatibility:
XDraw, 465
XDrawDashed, 465
XDrawFilled, 465
XDrawPatterned, 465
XDrawTiled, 465
XDraw, 466
XDrawDashed, 466
XDrawPatterned, 466
XDrawFilled, 467
XDrawTiled, 467

<

<X11/cursorfont.h>, 4
<X11/keysymdef.h>, 4, 267, 398
<X11/keysym.h>, 4, 267
<X11/X10.h>, 4, 466
<X11/Xatom.h>, 4, 63, 166, 343, 375
<X11/Xcms.h>, 3, 79
<X11/X.h>, 2, 3, 129, 197, 200
<X11/Xlib.h>, 3, 4, 9, 79, 198, 341, 411, 435, 445, 446
<X11/Xlibint.h>, 4, 434, 448, 449, 451
<X11/Xproto.h>, 4, 216, 243, 449, 450, 451
<X11/Xprotostr.h>, 4
<X11/Xresource.h>, 3, 379
<X11/Xutil.h>, 3, 355, 357, 362, 367, 402, 403, 410, 413, 418, 460

X

XActivateScreenSaver, **192**
XAddConnectionWatch, **29**
XAddExtension, **436**
XAddHost, **194**
XAddHosts, **194**
XAddPixel, **414**
XAddToExtensionList, 445, **446**
XAddToSaveSet, **185**, 186
XAllocClassHint, **362**
XAllocColor, 87, **89**, 90, 92, 95, 111
XAllocColorCells, 86, 87, **92**, 93, 95
XAllocColorPlanes, 86, 87, **93**, 94, 95, 375
XAllocIconSize, **367**
XAllocID, **446**, 452
XAllocIDs, **446**
XAllocNamedColor, 83, 87, **91**, 92, 95

_

_XAllocScratch, **456**

X

XAllocSizeHints, **358**
XAllocStandardColormap, **374**

_

_XAllocTemp, **456**, 457

X

XAllocWMHints, **355**
XAllowEvents, 248, 250, 254, **256**, 257, 258
XAllPlanes, **10**
XAnyEvent, **198**
XAppendVertex, 465
XArc, **151**
XAssocTable, 467, 468, 469
XAutoRepeatOff, **264**
XAutoRepeatOn, **264**
XBaseFontNameListOfFontSet, 287, **290**
XBell, **264**
XBitmapBitOrder, **19**
XBitmapPad, **19**
XBitmapUnit, **19**
XBlackPixel, **11**
XBlackPixelOfScreen, **21**
XBufferOverflow, 340

XButtonEvent, **204**
XButtonPressedEvent, **204**, 206
XButtonReleasedEvent, **204**, 206
Xcalloc, 456
XCellsOfScreen, **21**
XChangeActivePointerGrab, 203, **251**
XChangeGC, **134**, 135, 145, 452
XChangeKeyboardControl, 261, **263**, 264
XChangeKeyboardMapping, 221, **270**
XChangePointerControl, **266**
XChangeProperty, 15, **69**, 228, 229
XChangeSaveSet, **185**
XChangeWindowAttributes, 33, **53**, 54, 87, 187, 227, 231
XChar2b, **161**, 171, 172, 175
XCharStruct, **161**, 163, 164, 169, 170, 171, 172
XCheckIfEvent, 234, **235**
XCheckMaskEvent, **237**, 238
XCheckTypedEvent, **238**
XCheckTypedWindowEvent, **238**, 239
XCheckWindowEvent, **236**, 237
XCirculateEvent, **217**
XCirculateRequestEvent, **224**
XCirculateSubwindows, **51**, 52, 217, 224
XCirculateSubwindowsDown, **52**, 217, 224
XCirculateSubwindowsUp, **51**, 52, 217, 224
XClassHint, **362**, 363, 368, 369, 370, 371
XClearArea, **147**, 148
XClearVertexFlag, 465
XClearWindow, 53, **148**
XClientMessageEvent, **227**
XClipBox, **405**
XCloseDisplay, **26**, 437
XCloseIM, 303, 307, **309**, 314, 322
XCloseOM, **279**, 280
XcmsAddColorSpace, 107, 110, **120**, 121
XcmsAddFunctionSet, 120, **124**, 125
XcmsAllocColor, **90**, 110
XcmsAllocNamedColor, 83, **91**, 92
XcmsCCC, 101, 125
XcmsCCCOfColormap, **100**
XcmsCIELab, **81**, 110
XcmsCIELabClipab, 108
XcmsCIELabClipL, 108
XcmsCIELabClipLab, 108
XcmsCIELabFormat, 81, 124
XcmsCIELabQueryMaxC, 108, **113**, 114
XcmsCIELabQueryMaxL, **114**
XcmsCIELabQueryMaxLC, **114**, 115
XcmsCIELabQueryMinL, **115**
XcmsCIELabToCIEXYZ, 124
XcmsCIELabWhiteShiftColors, 110
XcmsCIELuv, **81**, 110
XcmsCIELuvClipL, 108
XcmsCIELuvClipLuv, 108
XcmsCIELuvClipuv, 108
XcmsCIELuvFormat, 81, 124
XcmsCIELuvQueryMaxC, 108, **116**
XcmsCIELuvQueryMaxL, **116**
XcmsCIELuvQueryMaxLC, **116**, 117
XcmsCIELuvQueryMinL, **117**
XcmsCIELuvToCIEuvY, 124
XcmsCIELuvWhiteShiftColors, 110
XcmsCIEuvY, **81**, 110, 111
XcmsCIEuvYFormat, 81, 103, 124
XcmsCIEuvYToCIELuv, 124
XcmsCIEuvYToCIEXYZ, 124
XcmsCIEuvYToTekHVC, 124
XcmsCIExyY, **81**
XcmsCIExyYFormat, 81, 103, 124
XcmsCIExyYToCIEXYZ, 124
XcmsCIEXYZ, **81**, 106, 107, 110
XcmsCIEXYZFormat, 81, 103, 124
XcmsCIEXYZToCIELab, 124
XcmsCIEXYZToCIEuvY, 124
XcmsCIEXYZToCIExyY, 124
XcmsCIEXYZToRGBi, 124
XcmsClientWhitePointOfCCC, **102**
XcmsColor, **80**, 92, 96, 97, 99, 100, 106, 107, 109, 120, 122, 123
XcmsColorFormat, 81
XcmsColorSpace, 121, 122, 123, 124, 125
XcmsColorSpaces, 121
XcmsCompressionProc, **107**
XcmsConvertColors, **106**
XcmsCreateCCC, **104**, 105
XcmsDefaultCCC, **101**
XcmsDisplayOfCCC, **101**
XcmsFailure, 85, 89, 90, 103, 104, 106, 114, 115, 116, 117, 126
XcmsFormatOfPrefix, 81, **121**, 122, 124
XcmsFreeCCC, 101, 104, **105**
XcmsFunctionSet, 125, 126
XcmsInitFailure, 126
XcmsInitNone, 126
XcmsInitSuccess, 126
XcmsLookupColor, 83, **88**, 89, 92
XcmsPad, **81**
XcmsParseStringProc, **122**
XcmsPerScrnInfo, 125, 126
XcmsPrefixOfFormat, 81, **121**, 122, 124
XcmsQueryBlack, **111**
XcmsQueryBlue, **112**
XcmsQueryColor, 97, **99**
XcmsQueryColors, 97, **99**, 100
XcmsQueryGreen, **112**

XcmsQueryRed, **112**, 113
XcmsQueryWhite, **113**
XcmsRGB, **81**, 83, 110, 111
XcmsRGBFormat, 81, 90, 92, 106, 124
XcmsRGBi, **81**, 83, 106, 107, 110, 111
XcmsRGBiFormat, 81, 106, 124
XcmsRGBiToCIEXYZ, 124
XcmsRGBiToRGB, 124
XcmsRGBToRGBi, 124
XcmsScreenFreeProc, **126**
XcmsScreenInitProc, **125**
XcmsScreenNumberOfCCC, **102**
XcmsScreenWhitePointOfCCC, **102**
XcmsSetCCCOfColormap, **101**
XcmsSetCompressionProc, **103**
XcmsSetWhiteAdjustProc, **104**
XcmsSetWhitePoint, **103**
XcmsStoreColor, **96**, 97
XcmsStoreColors, **97**
XcmsSuccess, 85, 89, 97, 121, 126
XcmsSuccessWithCompression, 85, 89
XcmsTekHVC, **81**, 110
XcmsTekHVCClipC, 109
XcmsTekHVCClipV, 109
XcmsTekHVCClipVC, 109
XcmsTekHVCFormat, 81, 124
XcmsTekHVCQueryMaxC, 111, **117**, 118
XcmsTekHVCQueryMaxV, **118**
XcmsTekHVCQueryMaxVC, **118**, 119
XcmsTekHVCQueryMaxVSamples, **119**
XcmsTekHVCQueryMinV, **119**, 120
XcmsTekHVCToCIEuvY, 124
XcmsTekHVCWhiteShiftColors, 110
XcmsUndefinedFormat, 81, 88, 91, 103, 121
XcmsVisualOfCCC, **102**
XcmsWhiteAdjustProc, **109**
XCNOENT, 419
XCNOMEM, 419
XColor, 77, **80**, 83, 90, 95, 96, 97, 98, 99
XColormapEvent, **227**
XComposeStatus, 400
XCompoundTextStyle, 347
XConfigureEvent, **218**
XConfigureRequestEvent, **225**
XConfigureWindow, 45, **47**, 48, 218, 220, 225, 226
XConnectionNumber, **11**
XContextDependentDrawing, **292**
XContextualDrawing, 281, **291**, 292
XConvertCase, **397**, 398
XConverterNotFound, 347, 348
XConvertSelection, **72**, 229
XCopyArea, 133, 146, **148**, 149, 200, 216
X_CopyArea, 216
XCopyColormapAndFree, **86**, 87
XCopyGC, **134**
XCopyPlane, 73, 133, 146, **149**, 150, 200, 216
X_CopyPlane, 216
XCreateAssocTable, **468**
XCreateBitmapFromData, **418**
XCreateColormap, **86**, 95, 374
XCreateFontCursor, **74**, 433
XCreateFontSet, 275, 284, 286, **287**, 288, 289, 290, 291, 294, 296, 298, 299, 349, 350
XCreateGC, 127, **134**, 135, 145, 216, 404, 452
XCreateGlyphCursor, **74**, 75
XCreateIC, 275, 303, **316**, 319, 323
XCreateImage, **412**, 413, 414
XCreateOC, 275, **282**, 284, 287
XCreatePixmap, **73**, 452
XCreatePixmapCursor, **75**, 76
XCreatePixmapFromBitmapData, **417**, 418
XCreateRegion, **404**
XCreateSimpleWindow, 39, **41**, 42, 187, 219
XCreateWindow, 33, **39**, 40, 41, 53, 87, 187, 219, 231
XCreateWindowEvent, **219**
XCrossingEvent, **207**

_

_Xdebug, 242

X

XDefaultColormap, **11**
XDefaultColormapOfScreen, **22**
XDefaultDepth, **12**
XDefaultDepthOfScreen, **22**
XDefaultGC, **12**
XDefaultGCOfScreen, **22**
XDefaultRootWindow, **13**
XDefaultScreen, 8, 9, **13**
XDefaultScreenOfDisplay, **13**
XDefaultString, **349**
XDefaultVisual, **14**
XDefaultVisualOfScreen, **22**
XDefineCursor, 41, **56**
XDeleteAssoc, **469**
XDeleteContext, **419**
XDeleteModifiermapEntry, **271**
XDeleteProperty, **70**, 229
XDestroyAssocTable, **469**
XDestroyIC, 314, **316**, 322
XDestroyImage, 413, **414**
XDestroyOC, **282**, 285, 286

XDestroyRegion, **404**
XDestroySubwindows, **42**, 219
XDestroyWindow, **42**, 219
XDestroyWindowEvent, **220**
XDirectionalDependentDrawing, 281, **291**
XDisableAccessControl, **196**
XDisplayCells, 10, **14**
XDisplayHeight, 10, **20**
XDisplayHeightMM, 10, **20**
XDisplayKeycodes, **268**, 269, 270
XDisplayMotionBufferSize, **241**
XDisplayName, **246**
XDisplayOfIM, **310**
XDisplayOfOM, **279**
XDisplayOfScreen, **23**
XDisplayPlanes, 10, **14**
XDisplayString, **15**
XDisplayWidth, 10, **20**
XDisplayWidthMM, 10, **21**
XDoesBackingStore, **23**
XDoesSaveUnders, **23**
xDoSomethingReply, **450**
xDoSomethingReq, **449**, 452
XDraw, 465, **466**
XDrawArc, 132, **156**, 157
XDrawArcs, 15, **156**, 157
XDrawDashed, 465, 466
XDrawFilled, 465, **467**
XDrawImageString, 173, **176**, 177, 178, 296
XDrawImageString16, 176, **177**, 178
XDrawLine, 132, 147, **152**, 154
XDrawLines, 15, 152, **153**, 154, 465
XDrawPatterned, 465, 466
XDrawPoint, 147, **151**, 152, 447
XDrawPoints, 15, 151, **152**
XDrawRectangle, 132, 147, **154**, 155
XDrawRectangles, 15, 154, **155**
XDrawSegments, 15, 132, 152, **153**, 154, 465
XDrawString, **175**, 176, 296
XDrawString16, **175**, 176
XDrawText, 132, **173**, 174, 175, 296
XDrawText16, 132, 173, **174**, 175
XDrawTiled, 465, 467
XEDataObject, 445
XEHeadOfExtensionList, **445**
XEmptyRegion, **407**
XEnableAccessControl, **196**
XEnterWindowEvent, **207**, 209, 210
XEqualRegion, **407**
XErrorEvent, 243, 442, 444
XESetBeforeFlush, **444**
XESetCloseDisplay, **436**, 437
XESetCopyGC, **437**, 438, 444
XESetCreateFont, **438**, 439
XESetCreateGC, **437**
XESetError, **442**
XESetErrorString, **443**
XESetEventToWire, 439, **441**
XESetFlushGC, **444**
XESetFreeFont, **439**
XESetFreeGC, **438**
XESetPrintErrorValues, **443**
XESetWireToError, **441**, 442, 444
XESetWireToEvent, 439, **440**
XEvent, **198**, 199, 234, 235, 236, 237, 238, 239, 240, 338, 439
xEvent, 440
XEvent, 440
xEvent, 441
XEvent, 441, 442, 444
XEventMaskOfScreen, **23**
XEventsQueued, 17, **233**
XExposeEvent, **215**
XExtCodes, **435**, 436, 457, 458
XExtData, **445**
XExtendedMaxRequestSize, **15**
XExtentsOfFontSet, 275, **292**, 293
XFetchBuffer, **409**
XFetchBytes, 408, **409**
XFetchName, **353**
XFillArc, 132, 147, **160**, 161
XFillArcs, 15, 133, **160**, 161
XFillPolygon, 15, 132, 133, **159**, 160
XFillRectangle, 132, 147, **158**, 159
XFillRectangles, 15, **158**, 159
XFilterEvent, **338**
XFindContext, **419**, 420
XFindOnExtensionList, **446**
XFlush, **232**
XFlushGC, **136**

_

_XFlushGCCache, **447**

X

XFocusChangeEvent, **211**
XFocusInEvent, **211**, 212, 213, 214
XFocusOutEvent, **211**, 212, 213, 214
XFontProp, **161**
XFontSet, 275, 278, 282, 287, 288, 289, 290, 292, 293, 294, 296, 298, 299, 326, 349, 470
XFontSetExtents, 291, **292**, 293
XFontsOfFontSet, 284, **289**
XFontStruct, **161**, 163, 165, 166, 169, 170, 173,

286, 289, 290, 291, 445
XFontStructs, 289
XFontStructSet, 286, 290
XForceScreenSaver, **191**, 192
XFree, 12, 18, **25**, 26, 30, 58, 65, 68, 188, 195, 242, 269, 277, 281, 310, 313, 315, 317, 319, 330, 348, 350, 353, 355, 357, 358, 362, 363, 365, 366, 367, 368, 374, 385, 409, 411, 416, 456
XFreeColormap, **87**, 227
XFreeColors, 86, **94**, 95
XFreeCursor, 39, **77**, 78
XFreeExtensionList, **435**
XFreeFont, 75, **166**, 439
XFreeFontInfo, 165, **168**
XFreeFontNames, **167**, 168
XFreeFontPath, **189**
XFreeFontSet, 286, 289, 290, **291**, 293
XFreeGC, **136**
XFreeModifiermap, **271**, 272
XFreePixmap, **73**, 74, 416, 418
XFreeStringList, 289, 349, **350**, 372

_

_XFreeTemp, **456**

X

XGContextFromGC, **136**, 165
XGCValues, **127**, 135
xGenericReply, 451
XGeometry, **464**
XGetAtomName, **65**, 66
XGetAtomNames, **65**, 66
XGetClassHint, **363**
XGetCommand, **371**, 372
XGetDefault, 464, **465**
XGetErrorDatabaseText, **245**, 246, 275
XGetErrorText, **245**, 275, 443
XGetFontPath, **188**, 189
XGetFontProperty, **166**
XGetGCValues, **135**
XGetGeometry, **59**, 60
XGetIconName, **354**, 355
XGetIconSizes, **367**, 368
XGetICValues, 308, **318**, 319, 325
XGetImage, **180**, 181, 182, 412, 413, 414
XGetIMValues, 304, 306, 308, **310**, 312, 315, 320, 322, 323, 324, 327
XGetInputFocus, **260**, 261
XGetKeyboardControl, **263**
XGetKeyboardMapping, **269**, 270
XGetModifierMapping, **272**
XGetMotionEvents, 204, **241**, 242
XGetNormalHints, **460**, 461, 462
XGetOCValues, **283**, 284, 285, 286
XGetOMValues, **279**, 280, 285
XGetPixel, **413**
XGetPointerControl, **266**, 267
XGetPointerMapping, **265**, 266
XGetRGBColormap, 463
XGetRGBColormaps, 326, **377**
XGetScreenSaver, **192**
XGetSelectionOwner, **71**, 72
XGetSizeHints, **462**
XGetStandardColormap, **463**
XGetSubImage, **181**, 182, 183
XGetTextProperty, **351**, 352, 354, 373
XGetTransientForHint, **364**
XGetVisualInfo, **410**, 411
XGetWindowAttributes, **58**, 59
xGetWindowAttributesReply, 454
XGetWindowProperty, **66**, 67, 68, 69, 229
XGetWMClientMachine, **372**, 373
XGetWMColormapWindows, **366**, 367
XGetWMHints, **357**
XGetWMIconName, **354**
XGetWMName, **352**
XGetWMNormalHints, **360**, 361, 460
XGetWMProtocols, **365**
XGetWMSizeHints, **361**, 362, 462
XGetZoomHints, **461**, 462
XGrabButton, 203, **251**, 252, 253, 257
XGrabKey, **255**, 256, 257
XGrabKeyboard, 214, 248, **253**, 254, 255, 256, 257
XGrabPointer, 207, 210, 248, **249**, 250, 251, 252, 257
XGrabServer, **189**
XGraphicsExposeEvent, 198, **216**, 217
XGravityEvent, **220**
XHeightMMOfScreen, **24**
XHeightOfScreen, **24**
XHostAddress, **193**
XIC, 275, 303, 304
XICCEncodingStyle, **347**
XIconifyWindow, **345**
XIconSize, 343, **367**
XID, **4**
XIfEvent, 234, **235**
XIM, 273, 275, 302, 303, 338
XIMAbsolutePosition, **336**
XImage, **178**, 180, 181, 182, 411, 412, 414
XImageByteOrder, **19**
XIMBackwardChar, 331, **336**
XIMBackwardWord, **336**

XIMCallback, 314, 321, 322, 327, **328**
XIMCaretDirection, 330, 331, **335**
XIMCaretDown, **336**
XIMCaretStyle, **335**
XIMCaretUp, **336**
XIMDontChange, **336**
XIMFeedback, 315, 334, 338
XIMForwardChar, 331, **336**
XIMForwardWord, **336**
XIMHighlight, **334**
XIMHotKeyStateOFF, 324
XIMHotKeyStateON, 323, 324
XIMHotKeyTriggers, 323, 324
XIMInitialState, 317, **323**, 327
XIMLineEnd, 331, **336**
XIMLineStart, **336**
XIMNextLine, **336**
XIMOfIC, **317**, 318
XIMPreeditArea, 304, , **313**, 325
XIMPreeditCallbacks, **313**, 327
XIMPreeditCaretCallbackStruct, **335**
XIMPreeditDisable, 326, 327
XIMPreeditDrawCallbackStruct, 315, **332**
XIMPreeditEnable, **326**, 327
XIMPreeditNone, **313**
XIMPreeditNothing, **313**
XIMPreeditPosition, **313**, 325
XIMPreeditStateNotifyCallbackStruct, **327**
XIMPreeditUnknown, 326
XIMPreserveState, 317, 323
XIMPreviousLine, **336**
XIMPrimary, **334**
XIMProc, **328**
XIMResetState, 323
XIMReverse, **334**
XIMSecondary, **334**
XIMStatusArea, 304, **313**, **314**, 325
XIMStatusCallbacks, **313**, **314**, 328
XIMStatusDataType, **337**
XIMStatusDrawCallbackStruct, **337**
XIMStatusNone, **313**, **314**
XIMStatusNothing, **313**, **314**
XIMStringConversionCallbackStruct, 307, **330**, 331
XIMStringConversionOperation, 331
XIMStringConversionPosition, 330
XIMStringConversionRetrieval, 330, 331
XIMStringConversionSubstitution, 330, 331
XIMStringConversionText, 322, 330
XIMStyle, **313**
XIMStyles, 304, **313**
XIMTertiary, **334**
XIMText, 305, 315, 332, 333, 334, 338
XIMUnderline, **334**
XIMValuesList, 315
XIMVisibleCenter, 333, **334**
XIMVisibleToBackward, 333, **334**, 338
XIMVisibleToCenter, 338
XIMVisibleToForward, 333, **334**, 338
XInitExtension, 435, **436**, 446, 457
XInitImage, **179**
XInitThreads, **28**
XINPreserveState, **323**
XInsertModifiermapEntry, **271**
XInstallColormap, 38, 53, 80, **186**, 187, 227
XInternalConnectionNumbers, **30**
XInternAtom, 62, **64**, 65
XInternAtoms, **65**
XIntersectRegion, **405**
XKeyboardControl, **261**, 263
XKeyboardState, **263**
XKeycodeToKeysym, **396**, 397
XKeyEvent, **204**
XKeymapEvent, **214**
XKeyPressedEvent, **204**, 206, 396, 400
XKeyReleasedEvent, **204**, 206, 396, 400
XKeysymToKeycode, **397**
XKeysymToString, **398**
XKillClient, **190**, 375
XLastKnownRequestProcessed, **16**
XLeaveWindowEvent, **207**, 209, 210
XLFD, **483**
XlibSpecificationRelease, **3**
XListDepths, **12**
XListExtensions, 434, **435**
XListFonts, **167**
XListFontsWithInfo, **167**, 168
XListHosts, **194**, 195
XListInstalledColormaps, **187**, 188
XListPixmapFormats, **18**
XListProperties, **68**
XLoadFont, **164**, 165, 166
XLoadQueryFont, 161, **165**, 166, 168, 439
XLocaleNotSupported, 274, 347, 348
XLocaleOfFontSet, **290**
XLocaleOfIM, 275, **310**
XLocaleOfOM, 275, **279**, 280
XLockDisplay, **28**, 29, 234
XLookUpAssoc, **468**, 469
XLookupBoth, 340
XLookupChars, 340
XLookupColor, 83, **87**, 88
XLookupKeySym, 340
XLookupKeysym, **396**
XLookupNone, 340
XLookupString, **400**, 401

XLowerWindow, **50**, 51, 218, 225
XMakeAssoc, **468**
Xmalloc, 456
XMapEvent, **221**
XMappingEvent, **221**
XMapRaised, **44**, 218, 220, 225
XMapRequestEvent, **226**
XMapSubwindows, **44**, 220, 225
XMapWindow, 33, 41, 42, **43**, 44, 220, 225, 226
X_MapWindow, 452
XMaskEvent, **237**
XMatchVisualInfo, 12, **411**
XMaxCmapsOfScreen, **24**
XMaxRequestSize, **15**
XmbDrawImageString, **298**, 299
XmbDrawString, 291, **298**
XmbDrawText, 275, 296, **297**, 298
XmbLookupString, 275, 303, 304, 305, 306, 309, **339**, 340
XmbPerCharExtents, 292
XmbResetIC, 306, **317**, 323, 327
XmbSetWMProperties, 275, **368**, 369, 370
XmbTextEscapement, **293**, 294
XmbTextExtents, 275, 292, **293**, 294, 296, 298, 299
XmbTextItem, **296**
XmbTextListToTextProperty, 275, **347**
XmbTextPerCharExtents, 291, 294, **295**, 296, 298
XmbTextPropertyToTextList, 275, **348**, 349, 350, 385
XMinCmapsOfScreen, **25**
XModifierKeymap, **270**, 271, 272
XMotionEvent, **204**
XMoveResizeWindow, **49**, 50, 218, 220, 225, 226, 452
XMoveWindow, **48**, 218, 225, 452
XNArea, 304, 313, 314, **325**, **341**
XNAreaNeeded, 304, 313, 314, **325**, **341**
XNBackground, **326**, **341**
XNBackgroundPixmap, 326, **341**
XNBaseFontName, 284, 285, **342**
XNClientWindow, **321**, **341**
XNColormap, **326**, **341**
XNContextualDrawing, 280, 281, **342**
XNCursor, 326, **341**
XNDefaultString, 285, **342**
XNDestroyCallback, 307, 312, 314, 322, **341**
XNDirectionalDependentDrawing, 280, 281, **342**
XNegative, 402
XNewModifiermap, **271**
XNextEvent, 3, 232, **233**, 234, 338
XNextRequest, **16**
XNFilterEvents, 305, 316, 318, **321**, **341**
XNFocusWindow, 313, **321**, 325, **341**
XNFontInfo, 286, **342**
XNFontSet, 304, **326**, **341**
XNForeground, **326**, **341**
XNGeometryCallback, **321**, **341**
XNHotKey, 323, 341, **342**
XNHotKeyState, 323, 324, 341, **342**
XNInputStyle, 304, 320, 325, **341**
XNLineSpace, 326, **341**
XNLineSpacing, 304
XNMissingCharSet, 285, **342**
XNoExposeEvent, **216**
XNOMAutomatic, 286, 287, **342**
XNoMemory, 347, 348
XNoOp, **25**
XNOrientation, 285, **342**
XNPreeditAttributes, **324**, **341**
XNPreeditCaretCallback, 313, **327**, **341**
XNPreeditDoneCallback, 313, **327**, **341**
XNPreeditDrawCallback, 313, **327**, **341**
XNPreeditStartCallback, 313, **327**, **341**
XNPreeditState, 308, 323, 326, 327, 341, **342**
XNPreeditState., 308
XNPreeditStateNotifyCallback, 308, 327, **341**
XNQueryICValuesList, 306, 308, 312, 315, 322, 323, 324, 327, 341, **342**
XNQueryIMValues, 315
XNQueryIMValuesList, 312, 315, 341, **342**
XNQueryInputStyle, 312, 320, **341**
XNQueryOrientation, 280, 281, 285, **342**
XNR6PreeditCallbackBehavior, 312, 315, 341, **342**
XNRequiredCharSet, 280, **342**
XNResetState, 317, 323, 327, 341, **342**
XNResourceClass, 285, 286, 312, 314, **321**, **341**
XNResourceName, 285, 286, 312, 314, **321**, **341**
XNSeparatorofNestedList, 341
XNSeparatorofNestedList :
, @DEF@""
XNSpotLocation, 313, **325**, **341**
XNStatusAttributes, **324**, **341**
XNStatusDoneCallback, 314, **328**, **341**
XNStatusDrawCallback, 314, **328**, **341**
XNStatusStartCallback, 314, **328**, **341**
XNStdColormap, **326**, **341**
XNStringConversion, 306, 307, 322, 341, **342**
XNStringConversionCallback, 306, 307, 322, 341, **342**
XNVaNestedList, 277, **341**
XNVisiblePosition, 312, 315, 341, **342**
XOC, 278, 282, 285, 286, 287
XOffsetRegion, **405**
XOM, 273, 275, 278, 280, 287, 291

XOMCharSetList, **280**, 285
XOMFontInfo, 286
XOMOfOC, **282**, 283
XOMOrientation, 281
XOMOrientation_Context, 281, 285
XOMOrientation_LTR_TTB, 281, 285
XOMOrientation_RTL_TTB, 281
XOMOrientation_TTB_LTR, 281
XOMOrientation_TTB_RTL, 281
XOpenDisplay, **8**, 9, 13, 15, 31, 197, 246, 385
XOpenIM, 275, 302, 307, **308**, 309
XOpenOM, 275, **278**, 279
XOrientation, 285
XParseColor, 83, **88**
XParseGeometry, **401**, 402, 403, 464
XPeekEvent, **234**
XPeekIfEvent, 234, **235**, 236
XPending, 232, **233**
Xpermalloc, **401**
XPixmapFormatValues, 18
XPlanesOfScreen, **25**
XPoint, **151**, 154, 325
XPointer, **4**, 277
XPointerMovedEvent, **204**, 206
XPointInRegion, **407**
XPolygonRegion, **404**
X Portable Character Set, **483**
XProcessInternalConnection, **30**
XPropertyEvent, **228**
XProtocolRevision, **16**
XProtocolVersion, **16**
XPutBackEvent, **239**
XPutImage, 15, **179**, 180, 412, 417
XPutPixel, **413**
XQLength, **17**, 233
XQueryBestCursor, 74, **76**, 77
XQueryBestSize, **140**, 141
XQueryBestStipple, **141**, 142
XQueryBestTile, **141**
XQueryColor, **98**
XQueryColors, **98**, 99
XQueryExtension, **434**, 435
XQueryFont, **165**, 166, 439
XQueryKeymap, **264**, 265
XQueryPointer, 60, **61**, 62, 204
XQueryTextExtents, **171**, 172, 178
XQueryTextExtents16, **171**, 172
XQueryTree, **57**, 58
XRaiseWindow, 3, **50**, 218, 225

_

_XRead, 454, 456
_XRead16, 454
_XRead16Pad, 455
_XRead32, 455

X

XReadBitmapFile, **415**, 416
XReadBitmapFileData, **416**

_

_XReadPad, 455

X

XRebindKeysym, **400**, 401
XRecolorCursor, 74, **77**
XReconfigureWMWindow, **346**
XRectangle, **151**, 292, 296, 325
XRectangle., 325
XRectangles, 296
XRectInRegion, **407**, 408
XRefreshKeyboardMapping, 222, **397**, 400
XRegisterIMInstantiateCallback, 275, 307, **310**, 311
XRemoveConnectionWatch, **29**
XRemoveFromSaveSet, **186**
XRemoveHost, **195**
XRemoveHosts, **195**
XReparentEvent, **222**
XReparentWindow, **184**, 185, 220, 222
xReply, 453

_

_XReply, 442, 443, **453**, 454, 456

X

xReq, 447, 450
XResetScreenSaver, **192**
XResizeRequestEvent, **226**
XResizeWindow, **49**, 218, 220, 225, 226
XResourceManagerString, **384**, 385
xResourceReq, **450**
XRestackWindows, **52**, 53, 218, 225
XrmBindingList, 383
XrmBindLoosely, 383

XrmBindTightly, 383
XrmCombineDatabase, **387**
XrmCombineFileDatabase, **386**, 387
XrmDatabase, 275, **383**
XrmDestroyDatabase, **386**
XrmEnumAllLevels, 392, 393
XrmEnumerateDatabase, **392**, 393
XrmEnumOneLevel, 392, 393
XrmGetDatabase, **386**
XrmGetFileDatabase, 275, **384**, 385
XrmGetResource, **388**, 389, 390
XrmGetStringDatabase, 275, **385**
XrmInitialize, **384**
XrmLocaleOfDatabase, 275, **385**, 386
XrmMergeDatabases, **387**, 388
XrmOptionDescRec, **394**
XrmOptionDescRec.value, 394
XrmOptionKind, **393**
XrmoptionNoArg, 395
XrmoptionSkipArg, 394
XrmoptionSkipNArgs, 394
XrmParseCommand, 393, **394**
XrmPermStringToQuark, **381**, 382
XrmPutFileDatabase, 275, **384**
XrmPutLineResource, **392**
XrmPutResource, 388, **390**
XrmPutStringResource, **391**
XrmQGetResource, **388**, 390
XrmQGetSearchList, **389**, 390
XrmQGetSearchResource, 388, **389**, 390
XrmQPutResource, 388, 390, **391**, 392
XrmQPutStringResource, **391**, 392
XrmQuark, 381
XrmQuarkToString, **382**
XrmSetDatabase, **386**, 465
XrmStringToBindingQuarkList, **383**, 390, 391
XrmStringToQuark, **381**, 382
XrmStringToQuarkList, **382**, 383
XrmUniqueQuark, **381**
XrmValue, 383, **384**, 392
XRootWindow, **17**
XRootWindowOfScreen, **25**
XRotateBuffers, **409**, 410
XRotateWindowProperties, **70**, 228, 229
XSaveContext, **418**, 419, 420
XScreenCount, **17**
XScreenNumberOfScreen, **23**
XScreenOfDisplay, **13**
XScreenResourceString, **385**
XSegment, **151**, 154
XSelectInput, **231**, 232
XSelectionClearEvent, **229**
XSelectionEvent, **230**
XSelectionRequestEvent, **229**

_

_XSend, 452, 453, 456

X

XSendEvent, 227, 230, **239**, 240
XServerInterpretedAddress, **193**
XServerVendor, **17**
XSetAccessControl, **196**
XSetAfterFunction, **242**
XSetArcMode, **145**, 146
XSetBackground, **137**, 452
XSetClassHint, **362**, 363, 371
XSetClipMask, **144**, 145
XSetClipOrigin, **143**, 144
XSetClipRectangles, 15, 133, 135, **144**, 145
XSetCloseDownMode, **26**, 27, 377
XSetCommand, 370, **371**
XSetDashes, 133, 135, **139**, 140
XSetErrorHandler, **243**
XSetFillRule, **140**
XSetFillStyle, **140**
XSetFont, **143**
XSetFontPath, 167, **188**
XSetForeground, 127, **137**
XSetFunction, **138**
XSetGraphicsExposures, **146**, 216
XSetICFocus, 303, **316**, 317
XSetIconName, **354**
XSetIconSizes, **367**
XSetICValue, 307
XSetICValues, 308, **318**, 319, 321, 324
XSetIMValue, 307
XSetIMValues, **309**, 310, 312
XSetInputFocus, **259**, 260
XSetIOErrorHandler, **246**, 247

_

_XSetLastRequestRead, 440, **441**

X

XSetLineAttributes, 127, **138**, 139
XSetLocaleModifiers, **274**, 275, 276, 278, 309
XSetModifierMapping, 221, **272**
XSetNormalHints, **460**, 462
XSetOCValues, **283**, 284, 286
XSetOMValues, **279**
XSetPlaneMask, **138**

XSetPointerMapping, 221, **265**
XSetRegion, 15, 133, **404**
XSetRGBColormap, 463
XSetRGBColormaps, **376**, 377
XSetScreenSaver, **190**, 191
XSetSelectionOwner, 27, **71**, 229
XSetSizeHints, **462**
XSetStandardColormap, **463**
XSetStandardProperties, **459**, 460
XSetState, **137**
XSetStipple, **142**, 143
XSetSubwindowMode, **146**
XSetTextProperty, **351**, 352, 354, 372
XSetTile, **142**
XSetTransientForHint, **363**, 364
XSetTSOrigin, **143**
XSetWindowAttributes, **33**, 53, 227, 231
XSetWindowBackground, **54**, 55
XSetWindowBackgroundPixmap, **54**, 55
XSetWindowBorder, **55**
XSetWindowBorderPixmap, **55**
XSetWindowBorderWidth, **50**, 218, 225
XSetWindowColormap, **55**, 56, 87, 187, 227
XSetWMClientMachine, 369, 370, **372**
XSetWMColormapWindows, **366**
XSetWMHints, **357**, 368, 369, 371
XSetWMIconName, **353**, 354, 370
XSetWMName, **352**, 370
XSetWMNormalHints, **360**, 361, 369, 371, 460
XSetWMProperties, **370**, 371, 459
XSetWMProtocols, **364**, 365
XSetWMSizeHints, **361**, 462
XSetZoomHints, **461**, 462
XShrinkRegion, **405**
XSizeHints, 343, 357, **358**, 360, 361, 403, 460, 462
XStandardColormap, **374**, 375, 376, 377, 459, 463
XStdICCTextStyle, 347
XStoreBuffer, **408**, 409
XStoreBytes, **408**
XStoreColor, 94, **95**, 96, 97
XStoreColors, 94, **96**, 97, 377
XStoreName, **352**, 353
XStoreNamedColor, 83, 94, **97**, 98
XStringListToTextProperty, **349**, 350
XStringStyle, 347, 348
XStringToKeysym, **398**
XSubImage, **413**, 414
XSubtractRegion, **406**
XSupportsLocale, **274**, 275, 348
XSync, 2, 3, 26, **232**
XSynchronize, **242**, 455
XTextExtents, **169**, 170, 172
XTextExtents16, **170**, 172
XTextItem, **173**
XTextItem16, **173**
XTextProperty, **346**, 347, 348, 349, 350, 351, 352, 353, 354, 372
XTextPropertyToStringList, **350**
XTextStyle, 347
XTextWidth, **169**
XTextWidth16, **169**
XTimeCoord, **241**
XTranslateCoordinates, **60**, 61
XUndefineCursor, **56**
XUngrabButton, **253**
XUngrabKey, **256**
XUngrabKeyboard, 27, **254**, 255
XUngrabPointer, 27, 203, 207, **250**, 251
XUngrabServer, 27, **189**, 190
XUninstallColormap, 80, 87, 186, **187**, 227
XUnionRectWithRegion, **406**
XUnionRegion, **406**
XUniqueContext, **420**
XUnloadFont, 165, **166**, 168
XUnlockDisplay, **28**
XUnmapEvent, **223**
XUnmapSubwindows, **45**
XUnmapWindow, **44**, 45
XUnregisterIMInstantiateCallback, 275, 307, **311**, 312
XUnsetICFocus, 303, 316, **317**
XVaCreateNestedList, 277
XValue, 402
XVaNestedList, 277, 319
XVendorRelease, **18**
XVisibilityEvent, **223**, 224
XVisualIDFromVisual, **32**
XVisualInfo, 31, **410**
XWarpPointer, **259**
XWatchProc, **29**
XwcDrawImageString, **298**, 299
XwcDrawString, **298**
XwcDrawText, 275, 296, **297**, 298
XwcFreeStringList, **349**
XwcLookupString, 275, 303, 304, 305, 306, 309, **339**, 340
XwcPerCharExtents, 292
XwcResetIC, 306, 317, 323, 327
XwcTextEscapement, **293**, 294
XwcTextExtents, 275, 292, **293**, 294, 296, 298, 299
XwcTextItem, **296**
XwcTextListToTextProperty, 275, **347**
XwcTextPerCharExtents, 291, 294, **295**, 296, 298
XwcTextPropertyToTextList, 275, **348**, 349

XWhitePixel, **11**
XWhitePixelOfScreen, **21**
XWidthMMOfScreen, **24**
XWidthOfScreen, **24**
XWindowAttributes, **58**
XWindowChanges, **45**, 47, 48, 346
XWindowEvent, 3, 232, **236**
XWithdrawWindow, **345**, 346
XWMGeometry, **402**, 403, 464
XWMHints, 343, **355**, 357, 368, 370
XWriteBitmapFile, **416**, 417, 418
XXorRegion, **406**
XYBitmap, 180, 412
XY format, **483**
XYPixmap, 180, 181, 182, 412

Y

YNegative, 402
YSorted, 144, 145
YValue, 402
YXBanded, 144, 145
YXSorted, 144, 145

Z

Z format, **483**
ZPixmap, 180, 181, 182, 412